

16 February 2010

**ANGLO AUSTRALIAN RESOURCES NL**  
**ASX ANNOUNCEMENT**

**DRILL TESTING COMMENCED ON BEDROCK TARGETS AT THE  
DALRAY AND ROGAN JOSH PROSPECTS,  
FEYSVILLE NEAR KALGOORLIE WESTERN AUSTRALIA**

Anglo Australian Resources NL is pleased to announce the commencement of a RC drilling program of approximately 1,400m at the Feysville Project. Drilling will target bedrock mineralisation beneath the Rogan Josh supergene deposit and extensions to the high grade intersection of **6m @ 9.08g/t Au** at the new Dalray prospect.

The Feysville Project consists of all mineral rights attached to two mining leases located 16km SSE of Kalgoorlie. The Project is situated in the geological/structural corridor, bounded by the Boulder Lefroy Fault, that hosts the world class plus million ounce deposits of Mt Charlotte, Fimiston, New Celebration, Victory-Defiance, Junction, Argo and Revenge/Belleisle of St Ives, as well as other deposits such as the 60,000oz Au Hannans South deposit (located 3km north of the Project). The Rogan Josh deposit has strong geological affinities to the Hannans South deposit which is largely a supergene gold deposit occurring within the Hannans South Shear Zone.

The Rogan Josh prospect is an attractive target with significant supergene and bedrock gold mineralisation already located. Previous drilling by Western Mining returned intersections such as **8m @ 3.3g/t Au; 2m @ 8.8g/t Au and 2m @ 4.28g/t Au** from a sub-horizontal zone of supergene mineralisation. The zone, as defined by the 1g/t Au limit, is more than 700m long and 2-8m thick. The mineralisation occurs about 10 - 30m below the surface. In 2009 Anglo Australian Resources NL completed 2 RC drilling programs primarily to test the supergene-mineralised zone. Encouraging intersections, including **2m @ 5.43g/t Au, 2m @ 14.34g/t Au, 1m @ 12.09g/t Au, 4m @ 5.39g/t Au and 3m @ 3.68g/t Au** confirmed the supergene-mineralised zone and extended the zone to the east. The programs also discovered high-grade bedrock gold mineralisation within carbonate-sericite altered quartz feldspar porphyry with intersections of **4m @ 5.42g/t Au and 6m @ 8.24g/t Au**, on the three southernmost sections tested at Rogan Josh as well as discovering new high grade bedrock mineralisation 1.7km to the south of Rogan Josh at Dalray. The bedrock mineralisation appears to be steeply dipping.

The new drilling program will specifically drill test interpreted strike extensions of the Dalray mineralisation. The Dalray mineralisation is located in sheared porphyry but is located beneath a thin veneer of overlying clays and has no surface expression. Six holes will be drilled in this area.



For personal use only

At Rogan Josh a further 10 holes are planned to test northern and southern extensions of bedrock mineralisation. Additional supergene and bedrock gold intersections are also expected to improve the resource potential of the project.

**For further information:**

**Angus C. Pilmer – Executive Director**

**Peter Komysan – General Manager Exploration**

**Telephone: (08) 9382 8822**

**Telephone: (08) 9382 8822**

**Attribution**

Information in this Report relating to geological data has been compiled by the Anglo Australian Resources NL Exploration Manager, Peter Komysan, who:

- is a full-time employee of Anglo Australian Resources NL;
- has relevant experience in relation to the mineralisation being reported on as to qualify as a Competent Person as defined by the *Australasian Code for Reporting Identified Mineral Resources and Ore Reserves*.
- is a Member of the Australasian Institute of Mining and Metallurgy and is a Member of the Australian Institute of Geoscientists and has had more than twenty years' experience in the field of activity reported herein;
- has consented in writing to the inclusion of this data.



For personal use only




Figure 1 Rogan Josh and Dalray Summary Plan